

Type Document			Packing Standard				Revised /Edition				A			
Subject: X0600HI-XXX-XX											Issued By:			
Pitch 0.60mm Series IDC Connector											Engineering Dept.			
Series Part Number	Circuit Poles	Code No.	One Package Q'TY(PCS)				Inner Box / Inside Carton (mm)				Outside Carton (mm)			
			PE Bag	Tube	PVC Box	Reel	L	W	H	Q'TY	L	W	H	Q'TY
X0600HI-02-XX	02	1	1K								330	250	200	75K
X0600HI-03-XX	03	1	1K								330	250	200	75K
X0600HI-04-XX	04	1	1K								330	250	200	75K
X0600HI-05-XX	05	1	1K								330	250	200	75K
X0600HI-06-XX	06	1	1K								330	250	200	75K
X0600HI-07-XX	07	1	1K								330	250	200	75K
X0600HI-08-XX	08	1	1K								330	250	200	75K
X0600HI-09-XX	09	1	1K								330	250	200	75K
X0600HI-10-XX	10	1	1K								330	250	200	75K
X0600HI-11-XX	11	1	1K								330	250	200	75K
X0600HI-12-XX	12	1	1K								330	250	200	75K
X0600HI-13-XX	13	1	1K								330	250	200	75K
X0600HI-14-XX	14	1	1K								330	250	200	75K
X0600HI-15-XX	15	1	500								330	250	200	30K
X0600HI-16-XX	16	1	500								330	250	200	30K
X0600HI-17-XX	17	1	500								330	250	200	30K
X0600HI-18-XX	18	1	500								330	250	200	30K
X0600HI-19-XX	19	1	500								330	250	200	30K
X0600HI-20-XX	20	1	500								330	250	200	30K
X0600HI-22-XX	22	1	500								330	250	200	30K

**Packing Method:**

A. PE Bag






B. Tube

C. PVC Box

D. Reel

E. Inner Box / Inside CTN

F. Outside CTN



**Packing Method Code:**

1= A F

2= A E F

3= B F

4= B E F

5= C F

6= C E F

7= D F

8= D E F

Type Document			Packing Standard				Revised /Edition				A			
Subject: X0600HI-XXX-XX										Issued By:				
Pitch 0.60mm Series IDC Connector										Engineering Dept.				
Series Part Number	Circuit Poles	Code No.	One Package Q'TY(PCS)				Inner Box / Inside Carton (mm)				Outside Carton (mm)			
			PE Bag	Tube	PVC Box	Reel	L	W	H	Q'TY	L	W	H	Q'TY
X0600HI-02-XX	02	3		241							470	150	95	134960
X0600HI-03-XX	03	3		180							470	150	95	100800
X0600HI-04-XX	04	3		144							470	150	95	80640
X0600HI-05-XX	05	3		120							470	150	95	67200
X0600HI-06-XX	06	3		103							470	150	95	57680
X0600HI-07-XX	07	3		90							470	150	95	50400
X0600HI-08-XX	08	3		80							470	150	95	44800
X0600HI-09-XX	09	3		72							470	150	95	40320
X0600HI-10-XX	10	3		65							470	150	95	36400
X0600HI-11-XX	11	3		60							470	150	95	33600
X0600HI-12-XX	12	3		55							470	150	95	30800
X0600HI-13-XX	13	3		51							470	150	95	28560
X0600HI-14-XX	14	3		48							470	150	95	26880
X0600HI-15-XX	15	3		45							470	150	95	25200
X0600HI-16-XX	16	3		42							470	150	95	23520
X0600HI-17-XX	17	3		40							470	150	95	22400
X0600HI-18-XX	18	3		38							470	150	95	21280
X0600HI-19-XX	19	3		36							470	150	95	20160
X0600HI-20-XX	20	3		34							470	150	95	19040

**Packing Method:**

A. PE Bag






B. Tube

C. PVC Box

D. Reel

E. Inner Box / Inside CTN

F. Outside CTN



**Packing Method Code:**

1= A F

2= A E F

3= B F

4= B E F

5= C F

6= C E F

7= D F

8= D E F

Type Document			Packing Standard				Revised /Edition				A			
<b>Subject: X0600WRS-XX-XXXX</b>											<b>Issued By:</b>			
<b>Pitch 0.60mm Series IDC Connector</b>											<b>Engineering Dept.</b>			
Series Part Number	Circuit Poles	Code No.	One Package Q'TY(PCS)				Inner Box / Inside Carton (mm)				Outside Carton (Cm)			
			PE Bag	Tube	PVC Box	Reel	L	W	H	Q'TY	L	W	H	Q'TY
X0600WRS-02-XXXX	02	7				4.5K					350	350	250	58.5K
X0600WRS-03-XXXX	03	7				4.5K					350	350	250	58.5K
X0600WRS-04-XXXX	04	7				4.5K					350	350	250	58.5K
X0600WRS-05-XXXX	05	7				4.5K					350	350	250	49.5K
X0600WRS-06-XXXX	06	7				4.5K					350	350	250	49.5K
X0600WRS-07-XXXX	07	7				4.5K					350	350	250	49.5K
X0600WRS-08-XXXX	08	7				4.5K					350	350	250	49.5K
X0600WRS-09-XXXX	09	7				4.5K					350	350	250	49.5K
X0600WRS-10-XXXX	10	7				4.5K					350	350	250	36K
X0600WRS-11-XXXX	11	7				4.5K					350	350	250	36K
X0600WRS-12-XXXX	12	7				4.5K					350	350	250	36K
X0600WRS-13-XXXX	13	7				4.5K					350	350	250	36K
X0600WRS-14-XXXX	14	7				4.5K					350	350	250	36K
X0600WRS-15-XXXX	15	7				4.5K					350	350	250	36K
X0600WRS-16-XXXX	16	7				4.5K					350	350	250	36K
X0600WRS-17-XXXX	17	7				4.5K					350	350	250	36K
X0600WRS-18-XXXX	18	7				4.5K					350	350	250	36K
X0600WRS-19-XXXX	19	7				4.5K					350	350	250	36K
X0600WRS-20-XXXX	20	7				4.5K					350	350	250	36K
X0600WRS-22-XXXX	20	7				4.5K					350	350	250	36K

**Packing Method:**

A. PE Bag






B. Tube

C. PVC Box

D. Reel

E. Inner Box / Inside CTN

F. Outside CTN



**Packing Method Code:**

1= A F

2= A E F

3= B F

4= B E F

5= C F

6= C E F

7= D F

8= D E F